FORM PTO-14			9 U. S DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE			ATTY. DOCKET NO.		o. s	SERIAL NO.	
\p\ 0'	. , ,	(13 m	PATENT AND I	RADEMA		U 01	3209-3	0	9/758,01	7
/ APR (	0 1 2	^^^	NFORMATION DISCLO STATEMENT BY APPLIC		RECE			PPLICANT		
APR I		4	•		APR 0 9	OLA	V LANES	, et al.		
of TRA	DEN	<sup>1</sup> 34' <sub>64'</sub> (	Use several sheets if n			2003 FILIN			GROUP	
		<del></del>		I	ECH CENTER 1	January <b>600/2000</b>	10,2001		<del>-1645</del>	105
	REF	EREN	CE DESIGNATION		U.S. PATE	879/2900 <sub>M</sub>	ENTS		<u> </u>	
EXAMINER INITIAL			DOCUMENT NUMBER	DATE	NAME	: 	CLASS	SUB- CLASS	FILING DATE IF APPROPRIATE	
·		AA							<u></u>	
	-			FOREIGN	PATENT DOCUM	MENTS				
			DOCUMENT NUMBER	DATE		RY C	01.400	SUB-	TRANSL	ATION
-					COUNT		CLASS	CLASS	YES	NO
		AB		<del></del>		_	. , , , , , , , , , , , , , , , , , , ,			
·			OTHER ART	(Including	g Author, Title, D	ate, Pertinei	nt Dates, E	tc.)		
85	3	AC	Lindahl, T., An N-glycos deaminated cytosine res						containing	
		AD	Kubota, Y., et al. Reconstitution of DNA base excision-repair with purified human proteins; interaction between polymerase beta and the XRCC1 protein. Embo J. (1996), 15(23): pp 6662-6670.							
		AE	Nicholl, I.D., K. Nealon, and M.K. Kenny. <i>Reconstitution of human base excision repair with purified proteins.</i> Biochemistry (1997), 36(24): pp 7557-7566.							
		AF	Parikh, S.S., C.D. Mol, and J.A. Tainer. Base excision repair enzyme family portrait: integrating the structure and chemistry of an entire DNA repair pathway. Structure (1997), 5(12): pp 1543-1550.							
		AG	Slupphaug, G., et al. Co DNA glycosylase. Nuclei					sis of the ma	ior human	uracil-
		АН	Muller, S.J. and S. Cara glycosylase. Biochim. B	donna. <i>Iso</i> iophys. Ao	olation and characters, (1991), 1086	cterization o	f a human 7-207.	cDNA encod	ling uracil-i	DNA
		ΑI	Muller Weeks, S.J. and S. Caradonna. Specific association of cyclin-like uracil-DNA glycosylase with the proliferating cell nuclear antigen. Exp. Cell. Res., (1996). 226(2): pp 346-355.							
		AJ	Haushalter, K.A., et al. <i>Identification of a new uracil-DNA glycosylase family by expression cloning using synthetic inhibitors.</i> Curr. Biol., (1999), 9(4): pp 174-185.							
	:	AK	Gallineri, P. and J. Jiricny. A new class of uracil-DNA glycosylases related to human thymine -DNA glycosylase. Nature, (1996), 383(6602): pp 735-738.							
		AL	Barrett, T.E., et al. Crystal structure of a G:T/U mismatch-specific DNA glycosylase: mismatch recognition by complementary-strand interactions. Cell, (1998), 92(1): pp 117-129.							
25	Sandigursky, M. and W.A. Franklin. Thermostable uracil-DNA glycosylase from Thermotoga maritim member of a novel class of DNA repair enzymes, Curr. Biol., (1999), 9(10): pp 531-534.				itima a					
EXAMI	NER	E.	Slobool you	est	1	DATE CON	ISIDERED	0/2	8/00	<u> </u>
EXAMI	NER:	c	nitial if citation considered citation if not in conformal applicant.	d, whether	or not citation is ot considered. Inc	in conforma lude copy o	anc with f this form	MPEP 609; D with next co	raw lin the	nrough ion to
						<del></del>				

**FORM PTO-1449** 

U. S DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE APR 0 1 2003

(Use several sheets if necessary Angers?)

ATTY. DOCKET NO.	SERIAL NO.		
U 013209-3	09/758,017		
APPLICANT OLAV LANES, et al.			

		January 10, 2001 1645 / 65
		OTHER ART (Including Author, Title, Date, Pertinent Dates, Etc.)
<b>%</b>	AN	Krokan, H.E., R. Standal, and G. Slupphaug, DNA glycosylases in the base excision repair of DNA. Biochem. J., (1997), 325(Pt. 1): pp 1-16.  APR 0 3 2003
	АО	Higley, M. and R.S. Lloyd, <i>Processivity of uracil DNA glycosylase</i> . Mutat. Res., (1993), 294(2): pp TECH CENTER 1600/2900
	AP	Bennett, S.E., R.J. Sanderson, and D.W. Mosbaugh, <i>Processivity of Escherichia coli and rat liver mitochondrial uracil-DNA glycosylase is affected by NaCl concentration</i> , Biochemistry, (1995), 34(18): pp 6109-6119.
	DΑ	Purmal, A.A., et al. <i>Uracil DNA N-glycosylase distributively interacts with duplex polynucleotides containing repeating units of either TGGCCAAGCU or TGGCCAAGCTTGGCCAAGCU, J.Biol. Chem.</i> , (1994), 269(35): pp 22046-22053.
	AR	Colson, P. and W.G. Verly, Intracellular localization of rat-liver uracil-DNA glycosylase. Purification and properties of the chromatin enzyme, Eur.J. Biochem, (1983), 134(3): pp 415-420.
	AS	Domena, J.D. and D.W. Mosbaugh, Purification of nuclear and mitochondrial uracil-DNA glycosylase from rat liver. Identification of two distinct subcellular forms. Biochem., (1985), 24(25): pp 7320-7328.
	АТ	Domena, J.D., et al. <i>Purification and properties of mitochondrial uracil-DNA glycosylase from rat liver</i> , Biochem., (1988), 27(18): pp 6742-6751.
	ΑU	Seal, G., P. Arenaz and M.A. Sirover, <i>Purification and properties of the human placental uracil DNA glycosylase.</i> Biochim. Biophys. Acta., (1987), 925(2): pp 226-233
	AV	Wittwer, C.U., G. Bauw, and H.E. Krokan. <i>Purification and determination of the NH2-terminal amino acid sequence of uracil-DNA glycosylase from human placenta.</i> Biochemistry, (1989), 28(2): pp 780-784.
	AW	Krokan, H. and C.U. Wittwer. <i>Uracil DNA-glycosylase from HeLa celles: general properties, substrate specificity and effect of uracil analogs</i> , Nucleic Acids Res., (1981), 9(11): pp 2599-2613
,	АХ	Wittwer, C.U. and H. Krokan. <i>Uracil-DNA glycosylase in HeLa S3 cells: interconvertibility of 50 and 20 kDa forms and similarity of the nuclear and mitochondrial form of the enzyme, Biochim. Biophys.</i> Acta., (1985), 832(3): pp 308-318.
J	AY	Myrnes, B. and C.U. Wittwer. <i>Purification of the human O6-methylguanine-DNA methyltransferase and uracil-DNA glycosylase, the latter to apparent homogeneity,</i> Eur. J. Biochem., (1988), 173(2):pp 383-387.
	AZ	Caradonna, S., et al. Affinity purification and comparative analysis of two distinct human uracil-DNA glycosylases, Exp. Cell Res., (1996), 222(2): pp 345-359.
	ВА	Muller-Weeks, S., B. Mastran, and S. Caradonna. <i>The nuclear isoform of the highly conserved human uracil-DNA glycosylase is an Mr 36,000 phosphoprotein</i> . J. Biol. Chem., (1998), 273(34): pp 21909-21917.
23	вв	Seal, G., R.J. Tallarida, and M.A. Sirover. <i>Purification and properties of the uracil DNA glycosylase from Bloom's syndrome.</i> Biochim. Biophys. Acta., (1991), 1097(4): pp 299-308.
EXAMINER	<u>S</u>	Stobodiquessy DATE CONSIDERED 5/28/03

**EXAMINER:** 

Initial if citation considered, whether of not citation is in conformanc with MPEP 609; Draw lin through citation if not in conformance and not considered. Includ copy of this form with next communication to applicant.

U. S DEPARTMENT OF COMMERCE FORM PTO-1449 -ATTY. DOCKET NO. SERIAL NO. PATENT AND TRADEMARK OFFICE U 013209-3 09/758,017 APR 0 1 2003 INFORMATION DISCLOSURE **APPLICANT** STATEMENT BY APPLICANT OLAV LANES, et al (Use several sheets if necessary) **FILING DATE** January 10, 2001 OTHER ART (Including Author, Title, Date, Pertinent Dates, Etc.) Caradonna, S.J., and Y.C. Cheng. Uracil DNA-glycosylase. Purification and properties of this enzyme BC isolated from blast cells of acute myelocytic leukemia patients. J. Bio. Chem., (1980), 255(6): pp Talpaert-Borle, M., L. Clerici, and F. Campagnari. Isolation and characterization of a uracil-DNA BD glycosylase from calf thymus. J. Biol. Chem., (1979), 254(14); pp 6387-6391. Talpaert-Borle, M., F. Campagnari, and D.M. Creissen. Properties of purified uracil-DNA glycosylase BE from calf thymus. An in vitro study using synthetic DNA-like substrates. J. Biol. Chem., (1982), 257(3): pp 1208-1214. Guyer, R.B., J.M. Nonnemaker, and R.A. Deering. Uracil-DNA glycosylase activity from Dictyostelium BF discoideum. Biochim. Biophys. Acta., (1986), 868(4): pp 262-264. Crosby, B., et al. Purification and characterization of a uracil-DNA glycosylase from the yeast BG Saccharomyces cerevisiae. Nucleic Acids Res., (1981), 9(21): pp 5797-5809. Blaisell, P. and H. Warner. Partial purification and characterization of a uracil-DNA glycosylase from вн wheat germ. J. Biol. Chem., (1983), 258(3): pp 1603-1609. Talpaert-Borle, M. and M. Liuzzi. Base-excision repair in carrot cells. Partial purification and ВΙ characterization of uracil-DNA glycosylase and apurinic/apyrimidinic endodeoxyribonuclease. Eur. J. Biochem., (1982), 124(3): p 435-440. Birch, D.J. and A.G. McLennan. Uracil-DNA glycosylase in developing embryos of the brine shrimp BJ (Artemia salina). Biochem. Soc. Trans., (1980), 8(6): pp 730-731. Lindahl, T., et al. DNA N-glycosidases; properties of uracil-DNA glycosidase from Escherichia coli. J. BK Biol. Chem., (1977), 252(10): pp 3286-3294. Cone, R. et al. Partial purification characterization of a uracil DNA N-glycosidase from Bacillus subtilis. BL Biochemistry, (1977), 16(14): p 3194-3201. Williams, M.V. and J.D. Pollack. A mollicute (mycoplasma) DNA repair enzyme: purification and BM characterization of uracil-DNA glycosylase. J. Bacteriol., (1990), 172(6); pp 2979-2985. Kaboev, O.K., et al. Uracil-DNA glycosylase from Bacillus stearothermophilus. FEBS Lett., (1981), RN 132(2): pp 337-340. Purnapatre, K. And U. Varshney. Uracil DNA glycosylase from Mycobacterium smegmatis and its во distinct biochemical properties. Eur. J. Biochem., (1998), 256(3): pp 580-588. Kaboev, O.K., L.A. Luchkina, and T.I. Kuziakina. Uracil-DNA glycosylase of thermophilic Thermothrix BP thiopara. J. Bacteriol., (1985), 164(1): pp 421-424. Masters, C.I., B.E. Moseley, and K.W. Minton. AP endonuclease and uracil DNA glycosylase activities BQ in Deinococcus radiodurans. Mutat. Res., (1991), 254(3): pp 263-272. EXAMINER 6 10600 Duest DATE CONSIDERED Initial if citation considered, whether fr not citation is in conformance with MPEP 609; Draw line through **EXAMINER:** citation if not in conformance and not considered. Includ copy of this form with n xt communication to applicant.

**FORM PTO-1449** U. S DEPARTMENT OF COMMERCE ATTY. DOCKET NO. SERIAL NO. PATENT AND TRADEMARK OFFICE U 013209-3 09/758,017 INFORMATION DISCLOSURE **APPLICANT** APR 0 1 2003 STATEMENT BY APPLICANT OLAV LANES, et al. (Use several sheets if necessal **FILING DATE** January 10, 2001 APR 0 3 2003 **OTHER** ART (Including Author, Title, Date, Pertinent Dates, Etc.) Koulis, A., et al. Uracil-DNA glycosylase activities in hyperthermophilic micro-organisms **FEMS** BR Microbiol. Letts., (1996), 143(2-3): pp 267-271. Leblanc, J.P., et al. Uracil-DNA glycosylase. Purification and properties of uracil-DNA glycosylase from BS Micrococcus luteus. J. Biol. Chem., (1982), 257(7): pp 3477-3483. Sobek, H., et al. Heat-labile uracil-DNA\_glyeesylase: purification and characterization. FEBS Lett., BT (1996), 388(1): pp 1-4. Focher, F., et al. Herpes simplex virus type 1 uracil-DNA glycosylase: isolation and selective inhibition ΒU by novel uracil derivatives. Biochem. J., (1993), 292(Pt. 3): pp 883-889. Winters, T.A. and M.V. Williams. Purification and characterization of the herpes simplex virus type 2-BV encoded uracil-DNA glycosylase. Virology, (1993), 195(2): pp 315-326. Slupphaug, G., et al. Nuclear and mitochondrial forms of human uracil-DNA glycosylase are encoded **BW** by the same gene. Nucleic Acids Res., (1993), 21(11): pp 2579-2584. Nilsen, H., et al. Nuclear and mitochondrial uracil-DNA glycosylases are generated by alternative BX splicing and transcription from different positions in the UNG gene. Nucleic Acids Res., (1997), 25(4): pp 750-755. Bharati, S., et al. Human mitochondrial uracil-DNA glycosylase preform (UNG1) is processed to two BY forms one of which is resistant to inhibition by AP sites. Nucleic Acids Res., (1998), 26(21): pp Haug, T., et al. Regulation of expression of nuclear and mitochondrial forms of human uracil-DNA ΒZ glycosylase. Nucleic Acids Res., (1998), 26(6): pp 1449-1457. Otterlei, M., et al. Nuclear and mitochondrial splice forms of human uracil-DNA glycosylase contain a CA complex nuclear localisation signal and a strong classical mitochondrial localisation signal, respectively. Nucleic Acids Res., (1998), 26(20): pp 4611-4617. Mol, C.D., et al. Crystal structure and mutational analysis of human uracil-DNA glycosylase: Structural СВ basis for specificity and catalysis. Cell, (1995), 80(6): pp 869-878. Savva, R., et al. The structural basis of specific base-excision repair by uracil-DNA glycosylase. CC Nature, (1995), 373(6514): pp 487-493. Ravishankar, R., et al. X-ray analysis of a complex of Escherichia coli uracil DNA glycosylase (EcUDG) CD with a proteinaceous inhibitor. The structure elucidation of a prokaryotic UDG. Nucleic Acids Res., (1998), 26(21): pp 4880-4887. Slupphaug, G., et al. A nucleotide-flipping mechanism from the structure of human uracil-DNA CE glycosylase bound to DNA. Nature, (1996), 384(6604): pp 87-92. Parikh, S.S., et al. Base excision repair initiation revealed by crystal structures and binding kinetics of human uracil-DNA glycosylase with DNA. Embo. J., (1998), 17(17): pp 5214-5226. CF **EXAMINER** 6, **DATE CONSIDERED** Initial if citation considered, whether or not citation is in conformance with MPÉP 609; Draw line through

citation if not in conformance and not considered. Include copy of this form with next communication to

**EXAMINER:** 

applicant.

Form PTO-1449 6-4

	CEN	eet.	5	of	_5
RF	CEI	VE	U		

FORM PTO-1449

U. S DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.... U 013209-3

SERIAL NO.

STATEMENT BY APPLICANT

OLAV LANES, ET AL.

(Use several sheets if necessary)

FILING DATE GROUP

	January 10, 2001 1645 160					
	OTHER ART (Including Author, Title, Date, Pertinent Dates, Etc.)					
CG	Feller, G. and C. Gerday. <i>Psychrophilic enzymes: molecular basis of cold adaptation.</i> Cell Mol. Life Sci., (1997), 53(10): pp 830-841.					
СН	Kwok, S., and R. Higuchi. Avoiding false positives with PCR. Nature, (1989), 339: pp 237-238.					
СІ	Longo, M.C., M.S. Berningr, and J.L. Hartley. <i>Use of uracil DNA glycosylase to control carry-over contamination in polymerase chain reactions.</i> Gene (1990), 93: pp 125-128					
CJ	Male, R., et al. Molecular cloning and characterization of anionic and cationic variants of trypsin from Atlantic salmon. Eur.J. Biochem., (1995), 232(2): pp 677-685.					
ск	Slupphaug, G., et al. <i>Properties of a recombinant human uracil-DNA glycosylase from the UNG gene and evidence that UNG encodes the major uracil-DNA glycosylase.</i> Biochemistry, (1995), 34(1): pp 128-138.					
CL	Bennett, S.E., M.I. Schimerlik, and D.W. Mosbaugh. <i>Kinetics of the uracil-DNA glycosylase/inhibitor protein association. Ung interaction with Ugi, nucleic acids, and uracil compounds.</i> J.Biol.Chem., (1993), 268(36): pp 26879-26885.					
СМ	Karran, P., R, Cone, and E.C. Friedberg. Specificity of the bacteriophage PBS2 induced inhibitor of uracil-DNA glycosylase. Biochemistry, (1981), 20(21): pp 6092-6096.					
CN	Mol, C.D., et al. Crystal structure of human uracil-DNA glycosylase in complex with a protein inhibitor: protein mimicry of DNA. Cell, (1995), 82(5): pp 701-708.					
со	von Hippel, P.H. and O.G. Berg. Facilitated target location in biological systems. J. Biol.Chem., (1989), 264(2): pp 675-678.					
СР	Dodson, M.L., M.L. Michaels, and R.S. Lloyd. <i>Unified catalytic mechanism for DNA glycosylases</i> . J. Biol. Chem., (1994), 269(52): pp 32709-32712.					
ca	Hamilton, R.W. and R.S. Lloyd. <i>Modulation of the DNA scanning activity of the Micrococcus luteus UV endonuclease.</i> J. Biol. Chem., (1989), 264(29): pp 17422-17427.					
CR	Berglund, G.I., et al. <i>Purification and characterization of pancreatic elastase from North Atlantic salmon (Salmo salar)</i> . Mol. Mar. Biol. Biotechnol., (1998), 7(2): pp 105-114.					
cs	Kunkel, T.A. Rapid and efficient site-specific mutagenesis without phenotypic selection. Proc. Natl. Acad. Sci., USA, (1985), 82: pp 488-492.					
СТ	Varshney,U. and J.H. van de Sande. Characterization of the ung1 mutation of Escherichia coli. Nucleic Acids Res., (1989), 17(2): pp 813					
cu	Amann, E., B. Ochs, and K.J. Abel. Tightly regulated tac promoter vectors for the expression of unfused and fused proteins in Escherichia coli. Gene, (1988), 69: pp 301-315.					
8	SW60dyOulder DATE CONSIDERED 8/28/03					
; {	Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw lin through citation if not in conformance and not considered. Include copy f this form with n xt communication to applicant.					
	CH CI CJ CK CN CO CP CC CR CS CT CU					